


F50



Specifications

Boat Details

Price	POA	Boat Brand	Yamaha
Model	F50	Length	0.00
Year	2026	Category	Boat Engines and Outboards
Hull Style		Hull Type	
Power Type	Power	Stock Number	F50LB

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Condition
Suburb

New
HORNSBY

State
Engine Make

New South Wales

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

With a sleek low-profile cowling design, matched with a silky-smooth four-cylinder engine configuration, inside of a compact and light-weight body, the F50 looks as good as it performs.

Within the F50 is a proven single overhead cam, 996cc, four-cylinder marine engine, that delivers an excellent power-to-weight ratio and exceptional refinement and fuel-efficiency. Out of the entire 4-cylinder 50 horsepower category, the F50 is the only Japanese manufactured engine in its class; which translates to superior reliability, refinement and quality that Yamaha engines are renowned for.

Utilising Yamaha's exclusive Multi-Point Fuel Injection System (EFI) and Electronic Control Module (ECM), the F50 delivers impressive power and torque, smooth and comfortable operation, low noise levels and emissions, and the best fuel-economy in its class.

The 50 horsepower is now available in both signature Yamaha grey and new pearlescent white colour options.

Technical Specification

HeightL: 527 [20.7]

WeightL: 113

Engine4-Stroke, SOHC In-line 4

Displacement996.0

Bore65 x 75

Max RPM5000-6000

LubricationWet-sump

FuelEFI

IgnitionTCI

StarterElectric

Alternator12V - 16A with rectifier regulator

OperationMechanical Control (Optional Tiller Handle Available)

TiltPower Trim & Tilt

GaugesOptional

Network GaugesOptional

Gear Ratio1.85 : 1

Engine Details

Horse Power

50

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.