






**VF175**



**Specifications**

**Boat Details**

Price	POA	Boat Brand	Yamaha
Model	VF175	Length	0.00
Year	2026	Category	Boat Engines and Outboards
Hull Style		Hull Type	
Power Type	Power	Stock Number	VF175LA

**Disclaimer**

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Condition  
Suburb

New  
HORNSBY

State  
Engine Make

New South Wales

---

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

## Description

The VF175 VMAX Super High Output four-stroke outboard is lighter, faster and smarter than any other outboard in its class. This exceptional piece of machinery has been purpose built to meet the needs of the high performance and competition market, and is ideally suited to smaller bass boats, flats boats, skit boats, bay boats and other performance hulls.

This powerful 2.8 litre, 16-valve double-overhead cam engine utilises variable camshaft timing and electronic fuel injection, to deliver an exhilarating hole shot and top-end speed, while producing an incredibly efficient, clean and quiet performance. The VF175 VMAX comes with the option of a long and extra long shaft length and includes variable trolling to achieve that perfect lure presentation. For competition winning performance, don't go past the VF175 VMAX.

### Technical Specification

HeightL: 516 [20.3] | X: 643 [25.3]

WeightL: 218 | X:222

Engine4-Stroke, 16 Valve DOHC Direct Action In-line 4

Displacement2785.0

Bore96 x 96.2

Max RPM5000-6000

LubricationWet-sump

FuelEFI

IgnitionTCI

StarterElectric

Alternator12V - 50A with Rectifier Regulator

OperationMechanical control

TiltPower Trim & Tilt

GaugesOptional

Network GaugesOptional

Gear Ratio1.86 : 1

Lpd Switch3

---

## Engine Details

Horse Power

175

---

### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.